



Professional Garden Tools

CATALOGUE



ABOUT US

Weihai Huitong Hardware & Machinery Co., Ltd., established in 1999, proudly launched its own brand "WIPRO".

Leveraging a professional team, the company is dedicated to high quality products, excellent service and global sales. Company's extensive range of offerings includes Power Tools, pneumatic tools, Cutting Tools, Air Compressors, Welding Machines, Automotive maintenance Tools, Woodworking Machinery, Metal Working Machine and Accessories.

With exceptional product quality, innovative design, and the strong brand philosophy, "WIPRO" products have found their way into countless households, enhancing the quality of life.

The company remains steadfast in upholding the principles of sincerity, cooperation, respect, professionalism, and user-centric experience. "WIPRO" aims to deliver an impeccable one-stop service, offering solutions for various work needs and making life more enjoyable.



CONTENT

Garden Saw	4	Power Duster	11
Chain Saw	5	Blower	11
Folding Grafting Knife	7	Garden Hose Fitting	12
Garden Shear	8	Garden Water Gun	14
Grass Trimmer	9	Spary Hose	15
Power Sprayer	10		

Gasoline Chain Saw



Gasoline Chain saw

Aluminum crankcase with the light weight;
 Long engine life and low failure;
 Anti-Kickback chain brake system;
 Convenient chain tensioning and adjustment.
 Saw Chain: Oregon 73LPX072X (3/8"/0.058")
 Carburetor: Walbro

Excellent Lubration & Low vibration;
 CDI ignition system ensure easy start;
 2-Stroke Engine
 Automatic oil pump
 Type of Guide Bar: Hard Nose Bar

Model	WP-5167
Code	107562
Displacement	54.0cc
Rated Power	2.2kw/3.0hp
Bore/Stroke	45.2/34mm
Dry Weight	5.1kg
Carburetor	Diaphragm type
Ignition System	CDI
Max. Speed	11000rpm
Idle Speed	3300±400rpm
Fuel Capacity	520ml
Oil Capacity	260ml
Fuel & Oil Ratio	40:1
Bar Lengths:	22"(55cm)
Meas.	46x27x29cm
Q'ty/Ctn	1Unit

Electric Chain Saw Stand



- This chain saw bracket set uses the 100 angle grinder and the grinder is not included in this package.
- Its input power depends on your own 100 angle grinder
- It has plastic handle, which is very convenient for carrying.
- Safety sawing, effectively improving the efficiency of your work.
- The chain interval with the counter-attack shrapnel makes it safer to use.

Model	W3017
Code	95899
Size	11.5"
Spindle Thread	M10
Q'ty/Ctn	20sets
N.W./G.W.	24/27kgs



Adaptor Reciprocating Saw



1. This reciprocating saw kit can change the general electric drill into a reciprocating saw.
2. Non-slip handle is very convenient and safer for use.
3. Simple operation, safe, saving time, and effort.
4. Guide plate position adjustable.
5. Can be used for wood cutting, metal pipe cutting, PVC cutting, steel cutting, etc.
6. The recommended speed of the electric drill is 800-1500rpm.

Suitable for electric drill

Model	AGL-1555
Code	108485
Length	375mm
Saw Material	65Mn
Single Weight	438g
Packing	Color Box
Q'ty/Ctn	40pcs



Electric Chain Saw Blade Sharpener



Suit for 14-20" Chain Saw
Sharpening Stone:60x13mm

Material: ABS



Model	MC-200
Code	107091
Q'ty/Box	1pcs
Q'ty/Ctn	50pcs
Weight	330g
Meas.	79x49x23.5cm

Sharpening Stone



Code	107092
Q'ty/Plastic	2pcs
Q'ty/Ctn	50pcs
Weight	24g

12V DC Mini Chain Saw Sharpener



A durable, economical tool that makes hand-sharpening easy.

Rugged, reliable

Withstands periods of extended use

Runs on a standard 12-V auto type battery.

Sharpens any-ground 1/4" .325" 3/8" .404"-pitch chains.

Model	ESP-200
Code	107093
Power	12V DC 55W
Speed	25000rpm
Dia. Wheel	5/32", 3/16", 7/32"
Weight	354g
Q'ty/Box	1 Set
Q'ty/Ctn	50 sets
Meas.	42x34.5x39cm

Chain Saw Sharpener

A durable, economical tool that makes hand-sharpening easy.

Rugged, reliable

Withstands periods of extended use

Sharpens any-ground 1/4" .325" 3/8" .404"-pitch chains.



Model	ESP-300
Code	107095
Voltage	220V~50Hz
Power	180W
Speed	10000-37000rpm
Dia.	3.2mm
Weight	624g
Q'ty/Box	2 Sets
Q'ty/Ctn	12 Sets
Meas.	54.5x33x24cm

Hand Saw

- 7 Points teeth pitch.
- 65Mn alloy steel blade for cutting most types wood and plastics etc.
- Two tone easy grip handle.
- Ideal for most D.I.Y tasks.



Model	Code	Size	Teeth	Teeth Length	Q'ty/Ctn
WS-1718	74656	18"	7Tpi	18"	48pcs
WS-1720	74657	20"	7Tpi	20"	48pcs

Hand Saw

- 65Mn alloy steel blade for cutting most types wood and plastics etc.
- Ideal for most D.I.Y tasks.



Model	Code	Size	Teeth	Teeth Length	Q'ty/Ctn
WP-1918	78153	18"	7Tpi	18"	40pcs
WP-1920	78154	20"	7Tpi	20"	40pcs

Hand Saw

Size:180mm
Material:65Mn



Model	Code	Size	Teeth	Teeth Length	Q'ty/Ctn
GDL-3180	84915	180mm	6.5Tpi	180mm	60pcs

Hand Saw

- 7 Points teeth pitch.
- 65Mn alloy steel blade for cutting most types wood and plastics etc.
- Two tone easy grip handle.
- Ideal for most D.I.Y tasks.



Model	Code	Size	Teeth	Teeth Length	Q'ty/Ctn
WS-1816	82135	16"	7Tpi	16"	48pcs
WS-1818	73151	18"	7Tpi	18"	48pcs
WS-1820	73152	20"	7Tpi	20"	48pcs

Brick Hand Saw

- 65Mn alloy steel blade



Model	Code	Size	Teeth	Teeth Length	Q'ty/Ctn
GBB-450	95688	18"	3Tpi	18"	48pcs

Folding Type Pruning Shears

Size:240mm&270mm
Material:A3+65Mn



Model	Code	Size	Teeth	Teeth Length	Q'ty/Ctn
GDL-3240	85457	240/270mm	6.5Tpi	240/270mm	48pcs



Folding Bended Knife

A high-quality gardening knife is an essential for a wide range of outdoor tasks, from trimming stems and snipping fruit to lifting bark.

Model	PSB-11
Code	88995
Size	110/190mm
Q'ty/Box	12pcs
Q'ty/Ctn	96pcs
N.W./G.W.	12/13kgs
Meas.	57x34x25cm



Folding Grafting Knife

This is a wonderful versatile tool for pruning, digs, budding, plants, weeding, cutting, saws, hunting, etc. Ergonomics handle design of gardening knife. Specially in for grafting, trimming twigs, removing suckers, and cutting undergrowth.

Model	PSO-10
Code	88996
Size	110/175mm
Q'ty/Box	12pcs
Q'ty/Ctn	120pcs
N.W./G.W.	11/12kgs
Meas.	48.5x29.5x45.5cm



Magic Twist Tie

Can be used as garden twist tie, securing plants, vines, shrubs and flowers to trellis, stakes, or other supports

Can be used as cable twist tie to organizer headphones line, USB cable, computer line and mobile phone charger cable, keep your cables neat and organized

This twist tie comes with a built-in cutting tool for more convenience and you can cut the twist ties freely according to the length.

Besides, the spindle is easy to unwind and keeps yards of the stuff all well organized



Model	Code	Length	Steel Dia.	Colour	Single Weight	Q'ty/Ctn
MITT-030	114545	30M	0.42MM	Green	69.2g	240pcs
MITT-050	114547	50M	0.42MM	Green	86.7g	240pcs
MITT-100	114548	100M	0.42MM	Green	169.3g	72pcs

Garden Shears



Remark: Aluminum Head
 Remark: Carbon Steel Blade . Light Weight
 Oval Aluminum Handles with Comfort Grips
 The edge of the blade is shaped like a wave

Model	SF920
Code	63507
Size	22"
Q'ty/Ctn	40pcs
N.W./G.W.	13/ 14kgs
Meas.	56.5x25x12.5cm



Tree Pruner with Saw



Remark: Aluminum Head

Model	SF960
Code	72509
Blade	14" x1mmx5Tpi 65Mn
Mounting hole	Ø25mm
Nylon Rope Length	2m
Q'ty/Ctn	25pcs
N.W./G.W.	13/ 14kgs
Meas.	44x40x28cm



Garden Shears



Model	WS-6708
Code	76136
Size	8"
Open Size	55mm
Q'tyt/Box	6pcs
Q'ty/Ctn	60pcs
N.W./G.W.	20/ 21kgs
Meas.	44x29x26cm

Heavy-Duty Garden Shears

The ideal trim method is in leaves above the sprout approximately 6mm Place, according to 45 angle trim. After the trim, when sprout long new thingses, plant's overall shape easy to control, is more artistic.

Stainless steel blade

Keep safety with lock

Can be held firmly curve blade & guide



Model	GD-07
Code	95516
Size	8"
Length	200mm
Cutting Capacity	20mm
Q'tyt/Box	12pcs
Q'ty/Ctn	72pcs
N.W./G.W.	15/ 16kgs
Meas.	42x30x49cm



Grass Trimmer

Transform any overgrown outdoor lawn into an attractive, well-manicured space
 Capable of cutting down tall grass, weeds and more, you can also trim edges to ensure the tidy finish reaches each and every corner.
 Lightweight, easy to carry around the garden with you

Model	WP3002
Code	88142
Voltage	220V~50Hz
Power	500W
Speed	10500rpm
Cutter Dia.	280mm
Q'ty/Box	1 Unit
Q'ty/Ctn	4 Units
N.W./G.W.	12/12.5kgs
Meas.	104.5x45x27cm



Electric Brush Cutter

Transform any overgrown outdoor lawn into an attractive, well-manicured space
 Capable of cutting down tall grass, weeds and more, you can also trim edges to ensure the tidy finish reaches each and every corner.
 Lightweight, easy to carry around the garden with you

Model	WP3003
Code	101215
Voltage	220V~50Hz
Power	1300W
Speed	7000rpm
Cutter Dia.	305mm
Q'ty/Box	1 Unit
Q'ty/Ctn	4 Units
N.W./G.W.	28/29kgs
Meas.	100x29x50cm









Cordless String Trimmer

Powerful 20-Volt 4.0Ah lithium-ion battery and fast charger included
 Ergonomic handle with soft grip
 Max. 12" cutting width with auto-feed; Spool and 1.5mm nylon line included
 Adjustable handle and telescopic pole allows users to adjust the length of the shaft for comfortable trimming
 Cordless, battery-powered and requires no gas or oil, resulting in no fumes and no mess; Lightweight and easy to use

Model	WP3800
Code	112059
Voltage	DC20V
No-load Speed	8000rpm
Cutting Width	11"-12"
Battery (Li-ion)	4.0Ah
Auto Feed	Ø1.5mm nylon line
Weight	3.9kgs
Q'ty/Ctn	4Units
N.W./G.W.	15.6/17.2kgs
Meas.	94.5x45.5x32.5cm



- 
 20V
Battery Pack
- 
 Cutting
Width
- 
 Auto-
Feed
- 
 Trim & edge
2 in 1
- 
 Telescopic
Tube
- 
 8000rpm

Gasoline Grass Trimmer

1. Built professionally for dynamic power and high efficiency
2. Metal blade and nylon trimming head can be changed according to different working purposes.
3. Automatic releasing strap design improves operation safety
4. Various metal blade size for a wide range of use
5. Quickly and easily changing metal blades and nylon cutter



Model	MPR328
Code	88572
Engine Model	1E36F
Displacement	30.5cc
Max. Power	0.81kw, 6000rpm
Mixed Fuel Ratio	25:1
Fuel Tank Capacity	1.2L
Blade Length	255mm
Gross Weight	10.5kg
Engine Package	310x310x440mm
Handle Package	1375x90x70mm



Gasoline Grass Trimmer

1. Built professionally for dynamic power and high efficiency
2. Metal blade and nylon trimming head can be changed according to different working purposes.
3. Automatic releasing strap design improves operation safety
4. Various metal blade size for a wide range of use
5. Quickly and easily changing metal blades and nylon cutter



Model	MPR411
Code	88570
Engine Model	1E40F-6
Displacement	40.2cc
Max. Power	1.45Kw, 7000rpm
Mixed Fuel Ratio	25:1
Fuel Tank Capacity	1.0 L
Blade Length	305mm
Gross Weight	10.3kg
Engine Package	330x310x430mm
Handle Package	1375x90x75mm



Hand Push Reel Mower

Having your own mower at home is a great way to save money over the long term, which also makes your life easier. We now offer you a Push Reel Lawn Mower with 16" Cutting Width. This height-adjustable Reel Lawn Mower is not only lightweight, quiet, and easy to push, but also benefits the environment. No gas required and Less Noise made!! It's really a economical and hassle-free way to look after your lawn. Cutting Heights for Convenient Mowing (17-43mm), Controlled by Quick-Snap Height Adjusters Nice Touching Foam Cushioned Handlebar

Model	MG3100
Code	63224
Cutting With	400mm
Cutting Height Adjustment	17-43mm
Overall Length	1080mm
Teeth Ratio	13:72
Wheel Size	8.5" PP
Weight	8.7kgs
Q'ty/Ctn	1 Unit
Meas.	56x32x22.5cm



Earth Auger

This one-person gas powered auger powerhead makes it easy to quickly dig holes for fence posts, signs, landscaping and soil sampling. This gas auger takes the back-breaking work out of outdoor construction and lets you make consistently even post holes in most types of soil. Comes complete with a 100mm diameter x 800mm long auger bit . Oil lubricated spur gear with double gear reduction ; Easy-view fuel tank ; EPA certified

Model	W6580
Code	107765
Matched engine	1E44F-2A
Engine Type	Air-cooled Two cycle engine
Max.power	1.4kw 6500rpm
Displacement	51.7cc
Mixed fuel ratio	25:1
Way of ignition	Electronic Ignition(CDI)
Ignition System	Transistor magneto
Form of carburetor	Diaphragm
Fuel Applicable	Gasoline
Fuel tank capacity	1.3L
Reduction ratio	40:1
Net weight	12.5kgs
Earth Auger packing	37x50x31mm
Bit packing	80x15x15cm



Bit for Earth Auger

Size	ø100x800mm	ø150x800mm	ø200x800mm
Code	108778	108779	108780
Length for Spiral blade	550mm	550mm	550mm
Thread	20mm	20mm	20mm
Pin hole	8mm	8mm	8mm
Weight	1.85kgs	2.3kgs	3.3kgs
Q'ty/Ctn	1pc	1pc	1pc
Packing Size	10x10x82cm	15x15x82cm	20x20x82cm



Garden Cart

This is a Heavy Duty Garden Cart for Storing, Organizing & Transporting Up to 300kg of Supplies, Equipment & Materials Suitable for Industrial, Manufacturing, & Maintenance Applications, As Well As in The Home Gardens, Warehouses, Farms, Yard. Removable Sides CAN Easily Change into Flatbed Wagons with Powder Coated Finish for Durability and Corrosion Resistance The Garden Wagon Has Four Diameter is 10 inch Pneumatic Rubber Tires to Resist Abrasion and Absorb Shock While While Rolling on Assorted Indoor and Outdoor Terrain.



Model	Code	Size	Capacity	Wheel	Q'ty/Ctn	N.W./G.W.	Meas.
HTL-500	114495	1120x550x910mm	300KG	10"	1Unit	15.8/17.5kgs	105x57x15cm

Garden Shredder

2 Way feed electric garden shredder with 4 blades for fast grass and leaves shredding

Model	HSG-3000
Code	114572
Voltage	220V~50Hz
Power	1500W
Motor Speed	2850rpm
Max. Cutting Branch Dia.	35mm
Feeding Way	2 Way
Non Flat Tyres	5.7" (145mm)
Flat Blades	2 pcs
V Blades	2 pcs
Housing Diameter	188mm
N.W./G.W.	24/27kgs
Packing Size	78.5x44.5x32cm
Q'ty/20' Container	272Units



Power Sprayer



Power Sprayer

Model	PSP-38	PSP-28
Code	95684	95685
Plunger No	3	3
Plunger Dia	30mm	22mm
Stroke	20mm	16mm
Rotation Capacity	800-1000r.p.m	800-1000r.p.m
Suction Volume	30-40 L/min	14-22 L/min
Pressure	10-40Bar	10-40Bar
Require Power	3-5kw	1.5-2.2kw
Weight	11.5kg	8.1kg
Packing Size	410x310x350mm	350x280x340mm



Power Sprayer

Model	MSH806	MSH808
Code	78246	75792
Plunge	1 Piece(two way operation)	
Cylinder	2 pieces	2 pieces
Plunger Dia	18mm	18mm
Stroke	8mm	8mm
Out Put	3~8lt/min	3~8lt/min
Pressure	1.5~2.5MPa	1.5~2.5MPa
Tank Capacity	15L	25L
Net Weight	9.5Kg	9.8Kg
Engine	TU 26	TU 26
Engine Type	Two stroke Air cooled engine	
Displacement	25.4cc	25.4cc
Engine Power	0.75kw/7000rpm	0.75kw/7000rpm
Mixing Ratio	25:1	25:1
Starting System	Easy Start Recoil Starter	
Diamension	430x340x635mm	450x355x665mm

Power Sprayer

Ideal for spraying water, fertilisers, herbicides, pesticides etc.
Also for spraying cleaning detergents or solvent-free preservative treatments.



MSE-15

MSE-16

Model	MSE-15
Code	86481
Pump	1.5-4Bar
Tank Volume :	17L
Rated Volume:	15L
Max.flow (nozzle status)	0.8L/min
Accumulator	12V8.0AH/20HR
Weight	6 KG
Carton Size	370x240x545mm

Power Sprayer 16L

Robust Construction
High characteristic trigger switch control
Inline filter to prevent shower clogging
Anti-corrosion piston made from special material
Double lance for higher spraying
Multi-application nozzles

Model	MSE-16
Code	95664
Tank Capacity	16L
Battery	12V 8Ah
Normal Pressure	0.15-0.5MPa

Hand Sprayer



Hand Sprayer

Pressure:0.25-0.45Mpa Stainless Steel
 Weight:5.2kg
 Packing Size:350x175x580mm

Model	WPW-16B
Code	6002915
Capacity	16L



Knapsack Power Duster



MMB-140



MMB-145



Model	MMB-140	MMB-145
Code	77302	106732
Container Capacity	14L	14L
Fuel Capacity	1.3L	1.3L
Range	≥12m	≥12m
Mating Engine	1E40FP-3Z	1E40F-3Z 2.9HP
Engine Type	Two stroke Air cooled engine	
Engine Power	2.13Kw/7500rpm	2.13Kw/7500rpm
Discharge Volume	41.5cc	41.5cc
Mix Ratio	20:1	20:1
Net Weight	11kg	11kg
Package Dimension	510×420×720mm	510×420×720mm

Blower

Features In lined outlet The fan housing is designed so that the air stream is in lined with the handle. This makes the machine very easy to manoeuvre. Auto return stop switch Stop switch automatically resets to the ON position for trouble-free starting.

Cruise control Fan speed can be set for easier handling.

Adjustable tube length The blowing tube length is adjustable for best performance.

Intuitive controls The controls are well gathered and easy to access.

Fuel pump Fuel pump designed for easy starting.



Model	W4018
Code	107766
Matched Engine	1E34FB
Average Air Volume(m ³ /s)	0.13
Displacement(cc)	25.4
Max. Power(kw/r/min)	0.75/7500
Form of Carburetor	Diaphragm
Mixed Fuel Ratio	25:1
Fuel Tank Capacity(L)	0.5
Net Weight(kg)	4.2
Package(mm)	402x242x352
Loading Q'ty(1*20')	760

Pressure Sprayer

Portable&Multi-function Pressure Sprayer:This hand-held pump sprayer can be used for Irrigation plants,fertilizing,pet bathing, home cleaning and car washing. Attention:corrosive or acidic solutions can't be used.

The brass nozzle can adjust the intensity of the water, from direct injection to fine mist spray.

Model	MS-200
Code	105671
Capacity	2L
Q'ty/ Ctn	20pcs
N.W./G.W.	5.8/6.8kgs
Meas.	64x52x33cm



Electric Cold-Fog Sprayer



Model	ULVS-8000
Code	105662
Rated Voltage	220V
Rated Frequency	50Hz
Rated Input Power	1200W
Tank Volume	4L
Flow Rate	19L/h
Horizontal Range	15m
Net Weight	3.3Kgs



Mini Mist Fogger

It comes with a netted burner which heats the coil two times faster and emits more smoke than any other portable fogger.

Mini thermal fogging machine can also be used in hen-house, sheepfold, cowshed, stud farms, home, school, hotels, offices, vehicles, etc. It is a new sterilization electronic sprayer with reliable capability, convenient use.

For killing insects such as mosquitos, black flies, deerflies, botflies,cockroaches, moths, wasps, queen bees and others.

Model	MF-2000
Code	97136
Chemical Tank	2Liter
Fuel Butance	220g gas tin
Spraying Volume	1L/H
Fuel consumption	1EA/H



Disinfection Fog Machine


Nano atomization disinfection machine is suitable for disinfection of indoor air in cars and houses. Suitable for adding nano disinfection atomization liquid (non-toxic, fresh air type), hypochlorous acid, disinfection water. Do not use 84 (sodium hypochlorite), alcohol (in the form of smoke, easy to catch fire), etc.

The portable vehicle / indoor electric atomization disinfection machine adopts nano atomization technology to make very dry disinfection mist. It can deeply disinfect and purify the air, decompose and eliminate odor, PM2.5, remove formaldehyde, and improve the air environment.

Model	Y-1504
Code	106293
Voltage	220V~50Hz
Power	1000W
Smoke Output	18000cu.ft/ min
Spray Distance	3~5m
Preheating time	5 min
Capacity	100ml
Q'ty/ Ctn	6Units



PVC Power Spray Hose



Coupling

Replace your high-pressure sprayer hose with this durable, PVC hose. This highly flexible and lightweight hose is chemical resistant. Ideal for use with agricultural chemicals, fertilizers, water or compressed air.

Code	Model	Size	Working Pressure	Burst Pressure
72775	SKK-51605	8.5x14mmx5m	45kg/cm ²	60kg/cm ²
72761	SKK-51610	8.5x14mmx10m	45kg/cm ²	60kg/cm ²
72762	SKK-51615	8.5x14mmx15m	45kg/cm ²	60kg/cm ²
72879	SKK-51620	8.5x14mmx20m	45kg/cm ²	60kg/cm ²
72880	SKK-51625	8.5x14mmx25m	45kg/cm ²	60kg/cm ²
73022	SKK-51650	8.5x14mmx50m	45kg/cm ²	60kg/cm ²
14272	SKK-516	8.5x14mmx100m	45kg/cm ²	60kg/cm ²

Code	Model	Size	Working Pressure	Burst Pressure
95889	SWK-51605	8.5x14mmx5m	45kg/cm ²	120kg/cm ²
95990	SWK-51610	8.5x14mmx10m	45kg/cm ²	120kg/cm ²
95991	SWK-51615	8.5x14mmx15m	45kg/cm ²	120kg/cm ²
95992	SWK-51620	8.5x14mmx20m	45kg/cm ²	120kg/cm ²
95993	SWK-51625	8.5x14mmx25m	45kg/cm ²	120kg/cm ²
95994	SWK-51650	8.5x14mmx50m	45kg/cm ²	120kg/cm ²
95661	SWK-516	8.5x14mmx100m	45kg/cm ²	120kg/cm ²
95658	PW-1002	13x19mmx50m	40kg/cm ²	120kg/cm ²
114563	SWK-1950	19x27mmx50m	20kg/cm ²	70kg/cm ²
5100233	PW-1002	19x27mmx50m	15kg/cm ²	40kg/cm ²



Convenient Hose Reel (Aluminium Tube)

1/2" 13mm Hose Up to 60M
5/8" 16mm Hose Up to 50M
Material: ABS+AL Tube

Model	WP5223A
Code	107208
Joint	PP 14tpi
Q'ty/Ctn	5Units
N.W./G.W.	7/7.8kg
Meas.	52x37x37cm



1/2" 13mm Hose Up to 60M
5/8" 16mm Hose Up to 50M
Material: ABS+AL Tube

Model	WP5232A
Code	74670
Joint	PP 14tpi
Q'ty/Ctn	5Units
N.W./G.W.	10.3/11.8kg
Meas.	60x37x56cm



Garden Irrigation Tools



Hose Fitting

YM5809

1/2" Hose Connector
Code:352
Material:ABS



Hose Fitting

YM5810

1/2" Waterstop Hose Connector
Code:353
Material:ABS



Hose Fitting

YM5804

Two Way Hose Coupling
Code:346
Material: ABS



Hose Fitting

YM5803


3-Way Hose Coupling
Code:347
Material:ABS



Hose Fitting

YM5807

3/4" & 1" Tap Adaptor
Code:350
Material:ABS



Hose Fitting

YM5812

3/4" & 1/2" Tap Adaptor
Code:348
Material: ABS



Hose Fitting

YM5801

3/4" BSP Threaded
Male Tap Adaptor
Code:349
Material: ABS



Hose Fitting

YM5808

1/2" Hose Mender
Code:351
Material: ABS



Hose Fitting

WP6023

3/4" Dual Snap-In
W/Shut Off Coupling



Code:74664
Material:ABS

Hose Fitting

WP6024

3/4" Dual Snap-In
W/Shut Off Coupling



Code:74665
Material:ABS



Hose Fitting

WP6025

Code:100494

1. Suit for 14-17mm Unthreaded Faucet
2. Easy to install without tools. Put into the suitable size tap, and tighten clamp up.
3. Pls note that tap nozzle should be no less than 2cm, otherwise, it will be easy to slip.
4. S.S.201 hose clamp.



Hose Fitting

SXP08

Size:3/4" Female
Code:84827
Material: ABS



Plastic 2-Way Spike

Model	WP 4002
Code	86702
Size	1/2"
Working Pressure	1.5-2.5BAR
Material	ABS
Single Weight	50g
Q'ty/Ctn	100pcs



Plastic 5-Pattern Sprinkler

Model	WP 4505
Code	74668
Size	1/2"
Working Pressure	1.5-2.5BAR
Material	ABS
Single Weight	113g
Q'ty/Ctn	48pcs



Plastic Impulse Sprinkler

Adjustable design: our impact sprinkler head features with adjustable 0 degree to 360 degrees pattern, and it easily adjust spray coverage from a partial section to 360 degrees watering with pattern adjustment. Our 1/2 inch plastic sprinkler is designed for good performance in dirty water conditions, and it is suitable for watering lawns, flower beds and vegetable gardens.

Model	WP 4001
Code	85448
Size	1/2"
Working Pressure	1.5-2.5BAR
Material	ABS
Single Weight	47g
Q'ty/Ctn	100pcs



4 Points Butterfly Sprinkler

Small Sprayer Plastic Butterfly-shaped Spray Head for Garden. Automatic rotating watering, manpower saving. Brings cold fog effect, manufacturing hazy sense. The products can be used for large area of spray and reduce the temperature quickly. Suitable for fountain atomization, agriculture irrigation, industrial irrigation, cooling roof, pesticide spray irrigation, watering the bridges, the roads, etc.

Model	WP 4007
Code	111409
Overall Size	100x110mm
Working Pressure	1-2BAR
Flow	0.4-1m ³ /h
Flow Dia.	2-4m
Connector	1/2" (DN15)
Single Weight	26g
Q'ty/Ctn	500pcs



Slip Lock Low Pressure Misting Nozzle

Fog Cooling System, Humidifying, Misting, Mist Maker, Dust Control

Model	Code	Size	Quick-insert	Pressure	Weight	Q'ty/PVC Box
MN-100	114522	0.1mm	Dia.6mm	3-20Bar	7.2g	50pcs
MN-200	114482	0.2mm	Dia.6mm	3-20Bar	7.2g	50pcs
MN-300	114483	0.3mm	Dia.6mm	3-20Bar	7.2g	50pcs
MN-400	114523	0.4mm	Dia.6mm	3-20Bar	7.2g	50pcs
MN-500	114484	0.5mm	Dia.6mm	3-20Bar	7.2g	50pcs
MN-600	114524	0.6mm	Dia.6mm	3-20Bar	7.2g	50pcs



Copper Gun Head

Model	WP6015
Code	82293
Hose Connector	15mm 5/8"
Length	97mm
Single Weight	65g
Q'ty/Ctn	200pcs



Garden Irrigation Tools



Zinc Alloy Spray Nozzle W/
Adjustable Brass Tip Nozzle
WP4013
Code:74663
Material:ABS+TPR+Brass



Zinc Alloy Spray Nozzle
W/Adjustable Tip
WP4023
Code:74662



Zinc Alloy Spray Nozzle
W/Adjustable Tip
WP4027
Code:74659



Plastic Adjustable
Spray Nozzle
WP6017
Code:74661



Zinc Alloy 10-Pattern
Spray Nozzle
WP4028
Code:74660
(JET-FLAT-SHOWER-MIST-
CONE-SOAKER-FAN-QUAD)



Spray Gun
SXP04
Code:84825



Brass 3-ARM Rotary
Spinkler W/Zinc Alloy
Wheel Base
WP4003B
Code:74667



Plastic 3-ARM Rotary
Spinkler W/Plastic
Wheel Base
WP4005
Code:74666





WEIHAI HUITONG HARDWARE & MACHINERY Co., Ltd.

Unit 1201~1202, Jinhou Business-BLDG.,
No.109C, Xinwei Road Weihai City, CHINA

Tel: +86-631-5300306, 5300706

Fax: +86-631-5300809, 5321935

www.chinawipro.com www.htong-tools.com

E-mail: sales@htong-tools.com · pure@htong-tools.com